COLUMBIA SHUSWAP REGIONAL DISTRICT

LAKES ZONING AMENDMENT

(MEADOW CREEK PROPERTIES PARK ASSOCIATION) BYLAW NO. 900-9

A bylaw to amend the "Lakes Zoning Bylaw No. 900"

WHEREAS the Board of the Columbia Shuswap Regional District adopted Bylaw No.900;

AND WHEREAS the Board deems it appropriate to amend Bylaw No. 900;

NOW THEREFORE the Board of the Columbia Shuswap Regional District, in open meeting assembled, HEREBY ENACTS as follows:

1. Bylaw No. 900 cited as "Lakes Zoning Bylaw No. 900" is hereby amended as follows:

A. TEXT AMENDMENT

1. Schedule A, Zoning Bylaw Text, Part 4 Zones, is hereby amended by deleting the FM1 Foreshore Multi-Family 1 zone in its entirety and replacing it with the following:

4.6 FM1 Foreshore Multi-Family 1



.1 Permitted Uses:

- (a) Floating dock(s), including removable walkway, that is accessory to an adjacent waterfront unit.
- (b) Private mooring buoy(s) that is accessory to an adjacent waterfront unit.
- (c) Boat lift(s) that is accessory to an adjacent waterfront unit.
- (d) Boat launch.

.2 Site Specific Permitted Uses:

- (a) In addition to the permitted uses in this zone, group moorage facility comprised of no more than one fixed or floating dock, including permanent or removable walkways, is only a permitted use on the surface of the lake in conjunction with Lot 1, Section 8, Tp. 22, Rge 10, W6M, KDYD, Plan 26006.
- (b) *Private mooring buoy*(s) that is accessory to the use of Lot 1, Section 8, Tp. 22, Rge 10, W6M, KDYD, Plan 26006

BL 900-9 PAGE 2

.3 Regulations:

COLUMN 1 MATTER REGULATED	COLUMN 2 REGULATION
(a) <u>Density</u> maximum number of docks and private mooring	 Dock: 1 floating dock per adjacent waterfront unit. Private mooring buoys: 1 per adjacent waterfront unit.
buoys:	
(b) Site Specific Density maximum number of floating docks, swimming platforms and private mooring buoys where different from (a):	 For the surface of the <i>lake</i> adjacent to Lot 1, Section 8, Tp. 22, Rge 10, W6M, KDYD, Plan 26006, the maximum number of floating docks is 3; the maximum number of swimming platforms is 1; and the maximum number of private mooring buoys is 61. {Meadow Creek Properties Park Association}
(c) <u>Size</u> of <i>dock</i> and <i>walkway</i> :	 Floating dock must not exceed 24 m² (258.33 ft²) in total upward facing surface area (not including removable walkway).
	 Floating dock surface must not exceed 3 m (9.84 ft) in width for any portion of the dock.
	Removable walkway surface must not exceed 1.5 m (4.92 ft.) in width for any other portion of the walkway.
(d) <u>Size</u> group moorage facility where different from (c)::	 dock surface must not exceed 3 m (9.84 ft) in width for any portion of the dock.
	Removable walkway surface must not exceed 1.5 m (4.92 ft.) in width for any other portion of the walkway.

BL 900-9 PAGE 3

(e)	Location and Siting
	of dock, private
	mooring buoys or
	boat lifts:

The minimum setback of a *floating dock*, *private mooring buoy* or *boat lift* accessory to an adjacent *waterfront unit or waterfront parcel* is as follows:

- o 5 m (16.4 ft) from the side *parcel* boundaries of that *waterfront parcel*, projected onto the *foreshore* and water.
- o 5 m (16.4) from adjacent *waterfront units*, projected onto the *foreshore* and water.
- o 6 m (19.69 ft) from a Foreshore Park (FP) zone or *park* side *parcel* boundaries projected onto the *foreshore* and water.

Additional setbacks for *private mooring buoys*:

- 20 m (65.62 ft) from any existing structures on the foreshore or water.
- o 50 m (164.04 ft.) from any *boat launch* ramp or *marina*.

11

BL 900-9 PAGE 4

2. This bylaw may be cited as "Lakes Z Association) Bylaw No. 900-9."	oning A	Amendment (Mead	dow Creek I	Properties Park	
READ a first time this15	_ day of	Jar	nuary	, 2015.	
READ a second time, as amended, this	_ day of	f		, 2017.	
PUBLIC HEARING held this	_ day of			, 2017.	
READ a third time this	_ day of			, 2017.	
ADOPTED this	_ day of			2017.	
CORPORATE OFFICER		CHAIR			
CERTIFIED a true copy of Bylaw No. 900-9 as read a third time.		CERTIFIED a true copy of Bylaw No. 900-9 as adopted.			
Corporate Officer		Corporate Officer			